

# SuperCross™ Microcatheters


Superb Crossability in Tortuous Anatomy

# Superb Crossability in Challenging Cases


SuperCross Microcatheters provide support in tortuous anatomy and navigating bifurcated vessels.



45°




90°



90° XT

XT=90° Extended Tip for  
Secure Cannulation



120°



Straight | FT

**Stainless Steel Braid**

For flexibility, pushability and kink resistance

## Angled Tip Catheters

### Dual Coil Shaft Construction

Provides excellent torque response, flexibility, pushability and kink resistance

### PTFE Inner Layer

Allows for outstanding guidewire movement and delivery

### Hydrophilic Coating on the Distal 80 cm

Enables exceptional trackability around tight bends and tortuous anatomy

### Embedded Platinum/Tungsten Coil

Provides enhanced visibility along the entire angled tip

## Straight | Flexible Tip (FT) Catheters

### Straight Tip Version

Stiffer tip for more supportive delivery and increased pushability to access complex anatomy

### Flexible Tip (FT) Version

For increased trackability through tortuous anatomy


# Ordering Information

## SuperCross™ Microcatheters

The SuperCross™ Microcatheter is intended to be used in conjunction with steerable guidewires to access discrete regions of the coronary and/or peripheral vasculature. It may be used to facilitate placement and exchange of guidewires and other interventional devices and to subselectively infuse/deliver diagnostic and therapeutic agents.

| MODEL | GUIDEWIRE COMPATIBILITY | DISTAL TIP | WORKING LENGTH | SHAFT CONSTRUCTION | DISTAL O.D.                 | PROXIMAL O.D.               | DISTAL I.D.         | PROXIMAL I.D.       | HYDROPHILIC COATING |
|-------|-------------------------|------------|----------------|--------------------|-----------------------------|-----------------------------|---------------------|---------------------|---------------------|
| 5302  | 0.014"                  | 45°        | 130 cm         | Coiled             | 2.4 Fr.<br>0.79 mm / 0.031" | 3.2 Fr.<br>1.07 mm / 0.042" | 0.017"<br>(0.43 mm) | 0.018"<br>(0.46 mm) | Distal 80 cm        |
| 5303  | 0.014"                  | 45°        | 150 cm         | Coiled             | 2.4 Fr.<br>0.79 mm / 0.031" | 3.2 Fr.<br>1.07 mm / 0.042" | 0.017"<br>(0.43 mm) | 0.018"<br>(0.46 mm) | Distal 80 cm        |
| 5304  | 0.014"                  | 90°        | 130 cm         | Coiled             | 2.4 Fr.<br>0.79 mm / 0.031" | 3.2 Fr.<br>1.07 mm / 0.042" | 0.017"<br>(0.43 mm) | 0.018"<br>(0.46 mm) | Distal 80 cm        |
| 5305  | 0.014"                  | 90°        | 150 cm         | Coiled             | 2.4 Fr.<br>0.79 mm / 0.031" | 3.2 Fr.<br>1.07 mm / 0.042" | 0.017"<br>(0.43 mm) | 0.018"<br>(0.46 mm) | Distal 80 cm        |
| 5306  | 0.014"                  | 120°       | 130 cm         | Coiled             | 2.4 Fr.<br>0.79 mm / 0.031" | 3.2 Fr.<br>1.07 mm / 0.042" | 0.017"<br>(0.43 mm) | 0.018"<br>(0.46 mm) | Distal 80 cm        |
| 5307  | 0.014"                  | 120°       | 150 cm         | Coiled             | 2.4 Fr.<br>0.79 mm / 0.031" | 3.2 Fr.<br>1.07 mm / 0.042" | 0.017"<br>(0.43 mm) | 0.018"<br>(0.46 mm) | Distal 80 cm        |
| 5308  | 0.014"                  | 90° XT     | 130 cm         | Coiled             | 2.4 Fr.<br>0.79 mm / 0.031" | 3.2 Fr.<br>1.07 mm / 0.042" | 0.017"<br>(0.43 mm) | 0.018"<br>(0.46 mm) | Distal 80 cm        |
| 5309  | 0.014"                  | 90° XT     | 150 cm         | Coiled             | 2.4 Fr.<br>0.79 mm / 0.031" | 3.2 Fr.<br>1.07 mm / 0.042" | 0.017"<br>(0.43 mm) | 0.018"<br>(0.46 mm) | Distal 80 cm        |

Packaged in quantities of 1 unit per box.




## SuperCross™ Microcatheters—Straight | FT

The SuperCross™ Microcatheter is intended to be used in conjunction with steerable guidewires to access discrete regions of the coronary and/or peripheral vasculature. It may be used to facilitate placement and exchange of guidewires and other interventional devices and to subselectively infuse/deliver diagnostic and therapeutic agents.

| MODEL | GUIDEWIRE COMPATIBILITY | DISTAL TIP | WORKING LENGTH | SHAFT CONSTRUCTION | DISTAL O.D.                 | PROXIMAL O.D.               | DISTAL I.D.         | PROXIMAL I.D.       | HYDROPHILIC COATING |
|-------|-------------------------|------------|----------------|--------------------|-----------------------------|-----------------------------|---------------------|---------------------|---------------------|
| 5300  | 0.014"                  | Straight   | 130 cm         | Braided            | 1.8 Fr.<br>0.61 mm / 0.024" | 2.5 Fr.<br>0.84 mm / 0.033" | 0.017"<br>(0.43 mm) | 0.021"<br>(0.53 mm) | Distal 40 cm        |
| 5301  | 0.014"                  | Straight   | 150 cm         | Braided            | 1.8 Fr.<br>0.61 mm / 0.024" | 2.5 Fr.<br>0.84 mm / 0.033" | 0.017"<br>(0.43 mm) | 0.021"<br>(0.53 mm) | Distal 40 cm        |
| 5340  | 0.014"                  | FT         | 130 cm         | Braided            | 1.8 Fr.<br>0.61 mm / 0.024" | 2.5 Fr.<br>0.84 mm / 0.033" | 0.017"<br>(0.43 mm) | 0.021"<br>(0.53 mm) | Distal 40 cm        |
| 5341  | 0.014"                  | FT         | 150 cm         | Braided            | 1.8 Fr.<br>0.61 mm / 0.024" | 2.5 Fr.<br>0.84 mm / 0.033" | 0.017"<br>(0.43 mm) | 0.021"<br>(0.53 mm) | Distal 40 cm        |

Packaged in quantities of 1 unit per box.

FT= Flexible Tip



Teleflex is a global provider of medical technologies designed to improve the health and quality of people's lives. We apply purpose driven innovation – a relentless pursuit of identifying unmet clinical needs – to benefit patients and healthcare providers. Our portfolio is diverse, with solutions in the fields of vascular and interventional access, surgical, anesthesia, cardiac care, urology, emergency medicine and respiratory care. Teleflex employees worldwide are united in the understanding that what we do every day makes a difference. For more information, please visit [teleflex.com](http://teleflex.com).

Teleflex is the home of Arrow®, Deknatel®, Hudson RCI®, LMA®, Pilling®, Rüschi®, and Weck® – trusted brands united by a common sense of purpose.

### Corporate Office

Phone +1 610 225 6800, 550 E. Swedesford Road, Suite 400, Wayne, PA 19087, USA

### Regional Offices

**United States:** Phone +1 919 544 8000, Toll Free 866 246 6990, [cs@teleflex.com](mailto:cs@teleflex.com), 3015 Carrington Mill Boulevard, Morrisville, NC 27560, USA

**Latin America:** Phone +1 919 433 4999, [la.cs@teleflex.com](mailto:la.cs@teleflex.com), 3015 Carrington Mill Boulevard, Morrisville, NC 27560, USA

**International:** Phone +353 (0)9 06 46 08 00, [orders.intl@teleflex.com](mailto:orders.intl@teleflex.com), Teleflex Medical Europe Ltd., IDA Business and Technology Park, Dublin Road, Athlone, Co Westmeath, Ireland

**Australia** 1300 360 226

**Austria** +43 (0)1 402 47 72

**Belgium** +32 (0)2 333 24 60

**Canada** +1 (0)800 387 9699

**China** (Shanghai) +86 (0)21 6163 0965

**China** (Beijing) +86 (0)10 6418 5699

**Czech Republic** +420 (0)495 759 111

**France** +33 (0)5 62 18 79 40

**Germany** +49 (0)7151 406 0

**Greece** +30 210 67 77 717

**India** +91 (0)44 2836 5040

**Italy** +39 0362 58911

**Japan** +81 (0)3 6632 3600

**Korea** +82 2 536 7550

**Mexico** +52 55 5002 3500

**Netherlands** +31 (0)88 00 215 00

**New Zealand** 0800 601 100

**Poland** +48 22 4624032

**Portugal** +351 22 541 90 85

**Singapore** (SEA non-direct sales countries) +65 6439 3000

**Slovak Republic** +421 (0)3377 254 28

**South Africa** +27 (0)11 807 4887

**Spain** +34 918 300 451

**Switzerland** +41 (0)31 818 40 90

**United Kingdom** +44 (0)1494 53 27 61

**For more information, please visit [teleflex.com](http://teleflex.com).**

Please see the Instructions for Use for a complete listing of the indications, contraindications, warnings and precautions. CAUTION: Federal (USA) law restricts this device to sale by or on the order of a physician.

Teleflex, the Teleflex logo, SuperCross, Arrow, Deknatel, Hudson RCI, LMA, Pilling, Rüschi and Weck are trademarks or registered trademarks of Teleflex Incorporated or its affiliates, in the U.S. and/or other countries.

Information in this material is not a substitute for the product Instructions for Use. Not all products may be available in all countries. Please contact your local representative. Revised: 07/2018.

© 2018 Teleflex Incorporated. All rights reserved. MC-004044 · Rev 0